

REMARKS

An Amendment After Final Rejection dated September 22, 2003 was filed in response to the Final Rejection dated June 23, 2003. The Advisory Action dated October 7, 2003 refused to enter the Amendment After Final Rejection on the ground that it raised a new issue which would require a further search. The Advisory Action necessitated the filing of the subject RCE.

The subject RCE presents a main claim 11 that is different from and broader than amended claim 11 as it appeared in the Amendment After Final Rejection. That is, the alignment of the openings of the ventilation sections in the opposing skins through which the air flows is not specified as being "in-line". The in-line and offset alignment of the openings is now set forth in claims 17 and 18. New claim 19 recites further details of the ventilation section, while claim 20 specifies the row and column configuration of the openings of each ventilation section. New claim 21 has the same subject matter as claim 20 and depends from claim 19.

The arguments presented in the Amendment After Final Rejection are repeated and incorporated herein by reference. The claims as presented patentably distinguish over the references cited in the Final Rejection and should be allowed.

In view of the above, each of the presently pending claims in this application is believed to be in immediate condition for allowance. Accordingly, the Examiner is respectfully requested to pass this application to issue.

Prompt and favorable action is requested.

Dated: October 22, 2003

Respectfully submitted,

By Gordon D. Coplein

Gordon D. Coplein

Registration No.: 19,165

DARBY & DARBY P.C.

P.O. Box 5257

New York, New York 10150-5257

(212) 527-7700

(212) 753-6237 (Fax)

Attorneys/Agents For Applicant

{W:\02193\100G456-US\00074682.DOC [REDACTED] }